

Frank Powersports 230340 Highland Rd Scottsbluff, Nebraska 69361 (800) 426-7719 frankpowersports.com

CUSTOMER	
DATE	09/25/2024
PRICE	
SALESPERSON	
SIGNATURE	

Comments

EXPLORE THE OUTDOORS WITH UP TO FOUR

Eager for action, Kawasaki Teryx4™ side x sides are built to dominate the trails. With the perfect combination of rugged sport performance and capability, these vehicles are made to conquer the outdoors with up to four passengers on-board.

GENERAL INFORMATION

Manufacturer Kawasaki

Model Year 2020

Model Name Teryx4 LE

Model Code KRT800GLF

VIN JKBRTCG14LB520294

Stock Number K520294

Color Atomic Silver

Condition USED Engine Size 783 cc

FEATURES

Durability

REAL STRENGTH: From the reinforced steel frame to the protective front brush

guards, Teryx4™ side x sides are built strong inside and out.

Power

POWERFUL & RESPONSIVE: Four-stroke, fuel-injected, 783cc engine of Teryx 4^{TM} side x sides work in unison with Continuously Variable Transmission (CVT) to produce

smooth and consistent power over rugged terrain.

Performance

BUILT FOR ADVENTURE: Teryx4™ side x sides are ready to take on all challenges

with strong power, agile handling, and a host of modern features for a capable,

exhilarating ride.

Comfort & convenience

EQUIPPED FOR MORE: Conquer the outdoors with thoughtful convenience features

that will make your weekend adventures more enjoyable.

SPECIFICATIONS	
BRAKES/WHEELS/TIRE	S
Brakes	Front - Dual hydraulic discs with two-piston calipers Rear - Sealed, oil-bathed, multi-disc
Wheels	Black Alloy
Tires	Front - Maxxis Bighorn 27 x 9-14 Rear - Maxxis Bighorn 27 x 11-14
DIMENSIONS	
Length	125.4 in.
Height	79.7 in.
Width	61.6 in.
Weight	Curb - 1,628.8 lb.
Ground Clearance	11.2 in.
Wheelbase	85.6 in.
Turning Radius	16.7 ft.
DRIVETRAIN	
Transmission	Automatic CVT with centrifugal clutch (H,L,N,R) with engine braking
Final Drive	Selectable 2WD/4WD with locking front differential, shaft
ELECTRICAL	
Instrumentation	Multi-function digital meter with speedometer, fuel gauge, clock, hour meter, odometer, dual trip meter and parking-brake indicator, R/N/P/4WD, water temp and low-oil-pressure indicators
Lighting	(4) LED headlights, (2) LED taillights, LED stoplight
ENGINE	
Engine	4-stroke, SOHC, 4-valve V-twin
Cooling	Liquid
Displacement	783 cc
Bore x Stroke	85 x 69 mm
Torque	Maximum - 47 ft. lb. @ 5,500 rpm
Compression Ratio	10.7:1
Fuel System	DFI® with two 36mm Mikuni throttle bodies
Ignition	TCBI with electronic advance
Starting	Electric
Fuel Tank Capacity	7.9 gal.
OPERATIONAL	
Frame	Steel tube double-X Reinforcement
Front Suspension	Double wishbone, Fox Podium coil-over shocks with piggyback reservoir, adjustable preload and 24-way compression damping; 8 in. travel
Rear Suspension	Double Wishbone; Fox Podium coil-over shocks with piggyback reservoir, adjustable preload and 24-way compression damping; 8.3 in. travel
Steering	Speed Sensitive Electronic Power Steering rack & pinion
Seating	4-person capacity
OTHER	
Additional Colors	Candy Lime Green Atomic Silver

Includes Additional DC outlet in rear

Sun top

Cargo Box Capacity

249 lb.

Cargo Box LxWxH - 17.9 x 47.6 x 8.7 in.

Load Capacity 1,109 lb.

Towing Capacity 1,300 lb.

Safety Features All Teryx and Teryx4 Rollover Protective Structure (ROPS) meets the performance

requirements of ISO 3471

Warranty Kawasaki Strong 3-Year Limited

Legal Notice: Manufacturer Name, Logo and Model Information are Registered Trademarks of the Manufacturer. Specifications and other information are subject to change without notice. No representation of accuracy is made. Image is believed to be in the public domain or used with permission.

*Price, if shown, is Manufacturer's Suggested Retail Price (MSRP) and does not include government fees, taxes, dealer vehicle freight/preparation, dealer document preparation charges or any finance charges (if applicable). MSRP and/or final actual sales price will vary depending on options or accessories selected.